

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	TT-QLHA-4COR	4" TRIC Loc Pulling Core	1
2	TT-QLHA-4MOL	4" TRIC Loc Mole	1
3	TT-FSNR-BA375F	4" Blade Retainer Screw	2
4	TT-HEAD-4BLD	4" Blade	2
5	TT-QLHA-4SHFT	4" TRIC Loc Shaft	1
6	TT-QLHA-4RING	4" Quick-Lock Ring	3
7	TT-QLHA-4EXP	4" TRIC Loc Expander	1
8	TT-QLHA-4JAW	4" TRIC Loc Jaw	1

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TRIC TOOLS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TRIC TOOLS IS PROHIBITED.


		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	RMD	2010
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±.01			
		THREE PLACE DECIMAL ±.005			
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.		
		MATERIAL	COMMENTS:		
NEXT ASSY	USED ON	FINISH			
APPLICATION		DO NOT SCALE DRAWING			

**TRIC Tools, Inc.**

TITLE:  
**4" TRIC Loc Head Assm.**

SIZE	DWG. NO.	REV
<b>A</b>	TTA-QLHA-4ASM	<b>B</b>


SCALE: 1:4 WEIGHT: SHEET 1 OF 2



**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TRIC TOOLS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TRIC TOOLS IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	RMD	2010
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±.01	Q.A.		
		THREE PLACE DECIMAL ±.005	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			

<b>TRIC Tools, Inc.</b>		
TITLE:		
4" TRIC Loc Head Assm.		
SIZE	DWG. NO.	REV
<b>A</b>	TTA-QLHA-4ASM	<b>B</b>
SCALE: 1:4	WEIGHT:	SHEET 2 OF 2



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	TT-QLHA-4COR	4" TRIC Loc Pulling Core	1
2	TT-QLHA-6MOLW	6" TRIC Loc Mole (Wide Blade)	1
3	TT-FSNR-DA750F	6"/8" Blade Screw	2
4	TT-HEAD-6BLDW	6" Blade - 5/8" Wide	2
5	TT-QLHA-6SHFT	6" Quick Lock Pulling Shaft	1
6	TT-QLHA-6RING	6" Quick-Lock Ring	3
7	TT-QLHA-6EXP	6" Quick Lock Expander	1
8	TT-QLHA-6JAW	6" Quick Lock Gripper	1

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TRIC TOOLS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TRIC TOOLS IS PROHIBITED.


		UNLESS OTHERWISE SPECIFIED:	NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	RMD
		TOLERANCES:	CHECKED	2010
		FRACTIONAL ±	ENG APPR.	
		ANGULAR: MACH ± BEND ±	MFG APPR.	
		TWO PLACE DECIMAL ±.01	Q.A.	
		THREE PLACE DECIMAL ±.005	COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER:		
		MATERIAL		
NEXT ASSY	USED ON	FINISH		
APPLICATION		DO NOT SCALE DRAWING		

**TRIC Tools, Inc.**

TITLE:  
**6" Quick Lock Head Asm.**

SIZE	DWG. NO.	REV
<b>A</b>	TTA-QLHA-6ASM	<b>B</b>

SCALE: 1:4 WEIGHT: SHEET 1 OF 2



**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TRIC TOOLS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TRIC TOOLS IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	RMD	2010
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±.01	Q.A.		
		THREE PLACE DECIMAL ±.005	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
NEXT ASSY	USED ON	FINISH			
APPLICATION		DO NOT SCALE DRAWING			

**TRIC Tools, Inc.**

TITLE:  
**6" Quick Lock Head Asm.**

SIZE	DWG. NO.	REV
<b>A</b>	<b>TTA-QLHA-6ASM</b>	<b>B</b>

SCALE: 1:4	WEIGHT:	SHEET 2 OF 2
------------	---------	--------------